G. R. S. 59]

81-103

GENERAL AND REVENUE SECRETARIAT.

190-12
(Genl-Misc.)

File No. 81-11

Serial Nos. 1-2

Papers Filed.

Month September 1911.

SUBJECT.

Supply of Electric Power to Palace buildings.

PREVIOUS REFERENCES.	LATER REFERENCES.
For 153-08/10-$\frac{1-3}{13\ 2\ 10}$ " 166-10/11	

K. N. Krishnaswamy 20/9/11

G.R.S. 11] 1911-12.

GENERAL AND REVENUE SECRETARIAT

(Sent-Misc.)

NOTES.

File No. 81.

FILE HEADING.

Supply of Electric Power to Palace Buildings.

From

The Chief Engineer.

No. 6824. Dated 29-7-11 Received 1-8-1911

Diary No. 488	Enclos. —	Spare Copies —	Serial No. 1

BRIEF ABSTRACT OF LETTER.

HT With ref^e to no. 6193 Em 164-10-2 of 24-4-11 state 1532 the Chief Electrical Engineer has sent us a bill for Rs 450 being the cost of lighting the "Palace, Salgaon" during 1910-11 & requests to be informed of the source from which the charges to be met.

NOTES AND ORDERS.

H T The comm^n of the 24^th April 1911 was issued after consulting the Huzur Secretary who noted that orders were issuing on the Palace side directing the payment of the charges for all buildings excepting the 8 buildings specified in the letter. As the "Palace Salgaon" is not-

NOTES—First sheet.

GPB—15,000—24-4-09

Serial No.

one of these eight, the bill has probably to be sent to the Palace Officer for adjustment.

(2) If on the other hand it should be decided that the charges should be borne by Govt., then it will have to be met out of the provision ordered in G. Ms 159-09-3 to be made in the current year's P. W. Budget. If, however, there should be any money remaining unspent out of last year's ~~savings~~ surrenders & the accounts of the Comptr's office open, it might be possible to order the adjustment in the accounts of last year.

Hs (12s) his
4-8-11

(3) Palace 'Salgere' is not one of the buildings included in the list of Palace buildings for which electric power is to be supplied free of charge. Here may the bill be sent to the Palace officer for adjustment

Secy

Bm
4-8-11

(4) I do not know clearly which is the building known as 'Palace Salgere'. If it is the (maid)servants' quarters near the 1st Palace, it should, I think, be deemed one part of that Palace & exempted from payment.

1297
11-8-11

Dewan)

CSD
8/8/11
Bm

Dewan's order

Yes. Salgere means ~~[illegible]~~ row of buildings and

GPB—50,000—12-8-10

Serial No.

Ex 86

and refers to quarters occupied by maid servants which of course has to be exempted.

ZY
4/8/11

Reply to Chmgs angly

CSO
22/8/11

Draft reply subd. Bn

Vs(125)
24-8-11 hus 8

Issue
Bn
24.8.11.

2 To the Chief Engineer no G 1518 dy 9. 9. 11

with refce to the above (Sl 1) informs him that the free supply of Electric power ordered in G.O. no G 2347-8/gen 153-09-1 dy 12. 10. 09 extends also to the "Palace Salgere" which should be deemed to be part of the Fort Palace included in the list of buildings given in this office letter no G 6193/gen 1604-10-2 dy 24. 4. 11.

To the Comptr, Nizam Secretariat, Bch. Mch: of Palaces

no G 1579-21 dy 9. 9. 11.

forwards copy of the above.

7

NOTE—Contn. sheet.

GPB—50,000—12-8-10

V 3917. Qu/16 4/11 Govt Sanctioned

4

(1)

191/

FROM

THE CHIEF ENGINEER OF MYSORE,
BANGALORE.

To

The Secretary to Govt, Finl and Rev departments

DIARY No. 488

1911-1912
SECTION G.M.
FILE No. 81 of 1911-12
SERIAL No. 1.

1.8.11

Dated
Despatched 29th July 1911.
Received
General No. 6824
No.

Enclosure No.

Request to be informed the sources from which the cost of Electric Power Supplies to "Oakden Sahib" Palace Buildings should be met.

GPB—4,000—3-3-11

✓ 5

(2)

Mysore Public Works Department,

Central Office,

No. 6824 Dated Bangalore, 29th July 1911.

From

M.Visvesvaraya, Esq., M.I.C.E.,

Chief Engineer of Mysore,

Bangal ore.

To

C.S.Balasundram Iyer, Esq., B.A.,

Offg. Secretary to the Government of

His Highness the Maharaja of Mysore,

General and Revenue Departments.

Sir,

R T

With reference to your letter No. G.6193/G.M.164-10-2 dated the 24th April 1911 furnishing a list of Palace buildings in Mysore for which electric power is to be supplied free of - - cost, I have the honour to inform you that the Chief Electrical Engineer has sent in a bill for Rs 450 being the cost of lighting the "Palace Salgere" during 1910-11. As this building is not included in the list referred to above, I request the favour of being informed of the source from which this charge is to be met.

I have the honour to be,

Sir,

Your most obedient servant,

Offg. Deputy Chief Engineer,

Mysore P.W.Department.

S.S.

G.R.S. 26]

Gen File No. 81-11

Serial No. 2

Diary No. of letter replied to

No. G 1518

General and Revenue Secretariat

( )

, the 19 .

To

The Chief Engineer.

Sir,

Date of issue 9-9-11

Signed by M^r B Ramaswamayya

In reply to your letter no 6824 of 29.7.1911, I am directed to inform you that the ~~Palace~~ free ~~Saigaon~~ supply of electric power ordered in Gov^t Progs no G 2347-8 of G.m 153.09-1 12.10.09 extends also to the Palace Salgaon which shall be ~~deemed~~ and be ~~requested that this~~ to be part of the Fort Palace ~~building may be~~ included in the list of buildings given in this office letter no G 6193 of 24.10.1911 G.m 164-10-2

P.T. over.

SUBJECT.

488

(4)

I have &c.

Sd/-

I Coll. Secy

Memo No. G 1579-21 dtd 9. 9. 11

A Copy of the above is forwarded to 1) Comptroller. H.H.

2) Huzur Secy. to H. H. the Maharaja

(3) Officer in charge of Palace

H.H. for information. This

confirmation of this Office memo No

G. 6. 194-5 dtd 24-4-11.

R.M. 164-10-2

No.

I. Coll. Secy

this is the copy of No. 182.

List of enclosures,

Copied by MN 8/9/11

Examined by

GPB—20,000—25-9-10